

AD 662253

ONR Technical Report RLT - 100

RELAXATION TIMES AND NORMAL MODE FREQUENCIES

by

Donald B. DuPré, J. M. Deutch and Arthur V. Tobolsky

(Contribution from the Frick Chemical Laboratory
Princeton University, Princeton, New Jersey)

(Contract NONR-1858(07))
NR 356-377


Reproduction in whole or in part is permitted for
any purpose of the United States Government.

Distribution of this document is unlimited.

October 1967

Best Available Copy

Reproduced by the
CLEARINGHOUSE
for Federal Scientific & Technical
Information Springfield Va. 22151



8

RELAXATION TIMES AND NORMAL MODE FREQUENCIES

Donald B. DuFai, J. N. Deutch and Arthur V. Tobolsky

Frick Chemical Laboratory
Princeton University
Princeton, New Jersey

In this note we shall show that in a uniformly damped solid, there is a simple relationship between normal mode frequencies and corresponding relaxation times. The solution of the relaxation time distribution function problem thereby reduces to obtaining the normal mode frequency spectrum of the array. This connection was previously postulated by one of us¹, and is proved (within certain limitations) in this note.

The thermal energy of a crystal or glass containing N particles is reflected in the small vibrations of these particles about their equilibrium positions in the lattice. The collective motion can be analyzed in terms of normal mode lattice vibrations, each mode having a characteristic frequency. The frequency distribution is of great importance in calculating the specific heat of the solid. For the one-dimensional array, an exact frequency distribution has been derived in the classic work of Born and von Karman². For an isotropic three-dimensional solid, the frequency distribution may only be approximated (Debye, Blackman, etc.²).

Consider a lattice in which the motion of each particle is uniformly damped. The equation of motion of the j^{th} particle in the absence of external forces is:

$$m\ddot{x}_j + \dot{x}_j + \sum_{i=1}^N a_{ij}x_j = 0 \quad (1)$$

$$j = 1, 2, \dots, N,$$

where $x_j(t)$ is the displacement from equilibrium of the j^{th} bead of mass m and friction factor f . The quantities a_{ij} represent the interaction force constants between the i^{th} and j^{th} particles. In a one-dimensional lattice with nearest neighbor interactions only, the sum reduces to:

$$\alpha(2x_j - x_{j-1} - x_{j+1}) \quad (2)$$

where α is the force constant between adjacent particles.

Equation (1) may be put in the form:

$$m\ddot{q}_n + f\dot{q}_n + k_n q_n = 0 \quad (3)$$

$$n = 1, 2, \dots, N$$

by an appropriate transformation of coordinates. The $q_n(t)$ are the normal coordinates of the motion.

Equation (3) is readily solved, and with the initial conditions that $q_n(0) = \text{const.}$ and $\dot{q}_n(0) = 0$,

$$q_n(t) = \frac{q_n(0)}{s_+^n - s_-^n} \left(s_+^n e^{-s_-^n t} - s_-^n e^{-s_+^n t} \right) \quad (4)$$

where

$$s_{\pm}^n = \frac{f}{2m} \left[1 \pm \sqrt{1 - \delta_n} \right] \quad (5)$$

with

$$\delta_n = 4mk_n/f^2$$

Now in the strongly overdamped limit ($\delta_n \rightarrow 0$) and for times longer than $t = 4m/f(4 - \delta_n)$, the first term of Equation (4) dominates and the normal mode displacement decays in time according to:

$$\langle q_n(0)q_n(t) \rangle \approx \langle q_n^2(0) \rangle e^{-t/\tau_n} \quad (6)$$

$$\text{where } \tau_n = 1/\omega_n^2$$

$$\omega_n^2 = (k_n/m)^{1/2} \quad (7)$$

ω_n is the characteristic angular frequency of the undamped mode.

Equation (7) for the relaxation time associated with the n^{th} normal mode is fundamental in the present work and is seen to be independent of the dimensionality of the oscillator array. Such a relation was proposed to hold in all dimensions by one of us in 1962¹. We see here that the postulate is true in the overdamped case and at long times. For very short times, $q_n(t)$ decays as a Gaussian.

The Rouse-Bueche (RB) theory^{3,4} of polymer viscoelasticity can be derived as a special case of the equations presented here. Since we are dealing with a linear lattice in this case, equation (2) must be substituted for the third term in equation (1). The constant α for the RB theory is an entropic force constant (from rubber elasticity theory) equal to $3kT/\sigma^2$ where σ^2 is the mean square length of a Gaussian segment. The frequencies, ω_n , are given by the Born-von Karman solution, namely

$$\omega_n^2 = \frac{4\alpha}{m} \sin^2 \frac{n\pi}{2N}$$

$$n = 1, 2, \dots, N \quad (8)$$

(The normal coordinate treatment of the linear lattice is given in Wannier⁵.)

The relaxation times are related to the frequencies by our general solution, Equation (7), and hence are

$$\tau_n = 1/4\alpha \sin^2 \frac{n\pi}{2N} \approx \frac{1N^2}{4\alpha n^2}, \text{ for large } N \quad (9)$$

$$n = 1, 2, \dots, N$$

In our general theory, presented in Equations (1-7), the force constants may be of any type (energetic or entropic) and Equation (7) is valid for a

lattice in one, two or three dimensions. Equation (7) provides a unique connection between the relaxation time spectrum and the frequency distribution as discussed in reference 1. An application of Equation (7) to the theory of the viscoelastic response of polymeric - and simple organic - glasses is discussed in reference (6).

References

1. A. V. Tobolsky, J. Chem. Phys. 37, 1575 (1962).
2. R. H. Fowler and E. A. Guggenheim, Statistical Thermodynamics, (Cambridge at the University Press, 1956), Chapter IV.
3. P. Rouse, J. Chem. Phys. 21, 1272 (1953).
4. F. Bueche, J. Chem. Phys. 22, 603 (1953).
5. G. H. Wannier, Elements of Solid State Theory (Cambridge University Press, 1959).
6. A. V. Tobolsky, J. Polymer Sci., Part C 9, 157 (1965).

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R&D		
<small>(Security Classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</small>		
1. ORIGINATING ACTIVITY (Corporate author) Frick Chemical Laboratory Princeton University Princeton, New Jersey 08540		2a. REPORT SECURITY CLASSIFICATION Unclassified
		2b. GROUP - - - - -
3. REPORT TITLE RELAXATION TIMES AND NORMAL MODE FREQUENCIES		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (Last name, first name, initial) DuPré, Donald B. Deutch, J. M. Tobolsky, Arthur V.		
6. REPORT DATE October, 1967	7a. TOTAL NO. OF PAGES 3	7b. NO. OF REFS 5
8a. CONTRACT OR GRANT NO. NONR-1858(07)	9a. ORIGINATOR'S REPORT NUMBER(S) RLT - 100	
8b. PROJECT NO. c. NR 356-377	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
10. AVAILABILITY/LIMITATION NOTICE Qualified requesters may obtain copies of this report from DDC		
11. SUPPLEMENTARY NOTES - - - - -	12. SPONSORING MILITARY ACTIVITY Office of Naval Research	
13. ABSTRACT A simple relationship between normal mode frequencies and relaxation times known to hold for damped one dimensional solids has been proven to obtain in all dimensions. Utilizing this relationship, the solution of the relaxation time distribution function problem reduces to the consideration of normal mode frequency spectrum of the array in question, irregardless of dimensionality.		

DD FORM 1473
1 JAN 64

Unclassified

Security Classification

Unclassified

Security Classification

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Relaxation times						
Normal mode frequency						
Damped harmonic lattice						
Thermal energy						
Equation of motion						
Polymer viscoelasticity						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive S200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers *feither by the originator or by the sponsor*, also enter this number(s).

10. **AVAILABILITY LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS) (S) (C) or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.

Unclassified

Security Classification